

References cited

- Baltz, E. H., 1965, Stratigraphy and history of Raton Basin and notes on San Luis Basin, Colorado-New Mexico: American Association of Petroleum Geologists Bulletin, v. 49, no. 11, p. 2041-2075.
- Baltz, E. H., and Myers, D. A., 1999, Stratigraphic framework of upper Paleozoic rocks, southeastern Sangre de Cristo Mountains, New Mexico, with a section on speculations and implications for regional interpretation of Ancestral Rocky Mountains paleotectonics: New Mexico Bureau of Geology and Mineral Resources, Memoir 48, 269 p.
- Brister, B. S., 2000, Geological criteria for successful waterfrac stimulations and potential of the Lewis Shale, San Juan Basin, as candidate: American Association of Petroleum Geologists Bulletin, v. 84, no. 8, p.1236
- Brister, B. S., and Gries, R. R., 1994, Tertiary stratigraphy and tectonic development of the Alamosa basin (northern San Luis Basin), Rio Grande rift, south-central Colorado, *in* Keller, G.R., and Cather, S. M., eds., Basins of the Rio Grande rift: Structure, stratigraphy, and tectonic setting: Geological Society of America, Special Paper 291, p. 39-58.
- Brister, B. S., and Hoffman, G. K., 2002, Fundamental Geology of San Juan Basin Energy Resources, *in* Brister, B. S., and Price, L. G., eds., New Mexico's Energy, Present and Future: Policy, Production, Economics, and the Environment: New Mexico Bureau of Geology and Mineral Resources, Decision-Makers Field Conference 2002 Guidebook, p. 21-25.
- Brister, B. S., and Lammons, L., 2000, Waterfracs prove successful in some Texas basins: Oil and Gas Journal, v. 98, no. 12 (March 20 issue), p.74-76.
- Broadhead, R. F., 2002, The origin of oil and gas, *in* Brister, B. S., and Price, L. G., eds., New Mexico's Energy, Present and Future: New Mexico Bureau of Geology and Mineral Resources, Decision-makers Field Conference 2002 Guidebook, p. 41-43.
- Carson National Forest, 1999, Valle Vidal Unit, USDA Forest Service, Visitor Map, scale 1:63,360.
- Carson, J. M., 2003, Some policy considerations from an industry perspective, *in* Johnson, P. S., Land, L. A., Price, L. G., and Titus, F., eds., Water Resources of the Lower Pecos Region, New Mexico: New Mexico Bureau of Geology and Mineral Resources, Decision-makers Field Conference 2003 Guidebook, p. 124.

- Cather, S. M., 2004, Laramide Orogeny in central and northern New Mexico and southern Colorado, in Mack, G., Giles, K., and Austin, G., eds., *The Geology of New Mexico, Volume 1: New Mexico Geological Society, Special Publication*, in press, preprint available at:
http://geoinfo.nmt.edu/staff/cather/papers/Cather_Laramide_2002.pdf
- Close, J. C., 1988, Coalbed Methane Potential of the Raton Basin, Colorado and New Mexico [Doctoral thesis]: Southern Illinois University, 432 p.
- Close, J. C., and Dutcher, R.R., 1991, Update on Coalbed Methane Potential of Raton Basin, Colorado and New Mexico: Society of Petroleum Engineers, SPE 20667, 16 p.
- Darton, N. H., 1928, "Red beds" and associated formations in New Mexico, with an outline of the geology of the state: U. S. Geological Survey, Bulletin 794, 356 p.
- De Voto, R. H., 1980, Pennsylvanian stratigraphy and history of Colorado, *in* Kent, H. C., and Porter, K. W., eds., *Colorado Geology: Rocky Mountain Association of Geologists*, p. 71-101.
- Dolly, E. D., and Meissner, F. F., 1977, Geology and gas exploration potential, upper Cretaceous and lower Tertiary strata, northern Raton Basin, Colorado, *in* Veal, H. K., ed., *Exploration Frontiers of the Central and Southern Rockies: Rocky Mountain Association of Geologists, Field Trip and Conference Guidebook*, p. 247-270.
- Fekete and Associates (Calgary, Alberta), 2003.
- Fetkovich, M.J., 1980, Decline Curve Analysis Using Type Curves: *Journal of Petroleum Technology, Transactions AIME* 269, June 1980, p. 1065-1077.
- Flores, R. M., 1987, Sedimentology of Upper Cretaceous and Tertiary siliciclastics and coals in the Raton Basin, New Mexico and Colorado; *in* Lucas, S. G., and Hunt, A. P., eds., *Northeastern New Mexico: New Mexico Geological Society Guidebook* 38, p. 255-264.
- Flores, R. M., and Bader, L. R., 1999, A summary of Tertiary coal resources of the Raton Basin, Colorado and New Mexico; *in* 1999 Resource assessment of selected Tertiary coal beds and zones in the northern Rocky Mountains and Great Plains region: U. S. Geological Survey, Professional Paper 1625-A, Chapter SR.
- Flores, R. M., and Pillmore, C. L., 1987, Tectonic control on alluvial paleoarchitecture of the Cretaceous and Tertiary Raton Basin, Colorado and New Mexico, *in* Ethridge, F. G., Flores, R. M., and Harvey, M. D.,

- Recent Developments in Fluvial Sedimentology: Society of Economic Paleontologists and Mineralogists, Special Publication 39, p. 311-320.
- Foster, R. W., 1966, Oil and gas exploration in Colfax County, *in* Northrup, S. A. and Read, C. B., eds., Taos-Raton-Spanish Peaks country: New Mexico Geological Society, Guidebook 17, p. 80-87.
- Grambling, J. A. and Dallmeyer, R. D., 1990, Proterozoic tectonic Evolution of the Cimarron Mountains, north-central New Mexico, *in* Bauer, P. W., Lucas, S. G., Mawer, C. K., and McIntosh, W. C., eds., Tectonic Development of the Southern Sangre de Cristo Mountains, New Mexico: New Mexico Geological Society 41st Annual Field Conference Guidebook, p. 161-170.
- Grambling, J. A., Williams, M. L., Smith, R. F., and Mawer, C. K., 1989, The role of crustal extension in the metamorphism of Proterozoic rocks in New Mexico, *in* Grambling, J. A., and Tewksbury, B. J., eds., Proterozoic geology of the Southern Rocky Mountains: Geological Society of America, Special Paper 35, p. 87-110.
- Grant, P. R., and Foster, R. W., 1989, Future Petroleum Provinces in New Mexico-Discovering New Reserves (Atlas): New Mexico Bureau of Mines and Mineral Resources, 94 pages.
- Hemmerich, M., 2001, Cenozoic denudation of the Raton Basin and vicinity, northeastern New Mexico and southeastern Colorado, determined using apatite fission-track thermochronology and sonic log analysis: Unpublished M. S. independent study, New Mexico Institute of Mining and Technology, 121 p.
- Hills, R. C., 1899, Description of the Elmore quadrangle, Colorado: U. S. Geological Survey, Geologic Atlas, Folio 58, 6 p.
- Hoffman, G. K., 1996, Coal Resources of New Mexico: New Mexico Bureau of Mines and Mineral Resources, Resource Map 20, scale 1:1,000,000, 22 p.
- Hoffman, G. K., and Brister, B. S., 2003, New Mexico's Raton Basin coalbed methane play: *New Mexico Geology*, v. 25, no. 4, p. 95-110.
- Johnson, R. B., Dixon, G. H., and Wanek, A. A., 1966, Late Cretaceous and Tertiary stratigraphy of the Raton Basin of New Mexico and Colorado, *in* Northrup, S. A. and Read, C. B., eds., Taos-Raton-Spanish Peaks country: New Mexico Geological Society, Guidebook 17, p. 88-98.
- Johnson, R. C., and Finn, T. M., 2001 Potential for a basin-centered gas accumulation in the Raton Basin, Colorado and New Mexico; *in* Nuccio, V.

- F., and Dyman, T. S., eds., Geologic studies of basin-centered gas systems: U. S. Geological Survey, Bulletin 2184-B, p. 1-14.
- Jurich, D. and Adams, M. A., 1984, Geologic overview, coal, and coalbed methane resources of Raton Mesa region-Colorado and New Mexico, *in* Rightmire, C. T., Eddy, G. E., and Kirr, J. N., eds., Coalbed Methane Resources of the United States: American Association of Petroleum Geologists, Studies in Geology 17 p. 163-184.
- Lee, W. T., 1917, Geology of the Raton Mesa and other regions in Colorado and New Mexico, *in* Lee, W. T., and Knowlton, F. H., eds., Geology and Paleontology of Raton Mesa and other regions in Colorado and New Mexico: U. S. Geological Survey, Professional Paper 101, p. 9-221.
- Levine, J. R., 1993, Coalification – the evolution of coal as a source rock and reservoir rock for oil and gas; *in* Law, B. E., and Rice, D. D., eds., Hydrocarbons from coal: American Association of Petroleum Geologists, Studies in Geology 38, p. 39-77.
- Lorenz, J. C., Cooper, S. P., and Keefe, R. G., 2003, Syn-sedimentary deformation in the central Raton Basin, Colorado and New Mexico- a potential control on sand body orientation: American Association of Petroleum Geologists, Annual Meeting, Program with Abstracts, May 11-14, 2003, Salt Lake City, Utah, p. A107.
- Lucas, S. G., Anderson, O. J., and Estep, J. W., 1998, Stratigraphy and correlation of Middle Cretaceous rocks (Albian-Cenomanian) from the Colorado Plateau to the South High Plains, north-central New Mexico, *in* Lucas, S. G., Kirkland, J. I., and Estep, J. W., eds., Lower and Middle Cretaceous Terrestrial Ecosystems: New Mexico Museum of Natural History and Science, Bulletin 14, p. 57-65.
- Magoon, L. B., and Dow, W. G., 1994, The Petroleum System-From Source to Trap: Tulsa, OK, American Association of Petroleum Geologists, 655 p.
- Mallory, W. W., 1972a, Regional synthesis of the Pennsylvanian System, *in* Mallory, W. W., ed., Geologic Atlas of the Rocky Mountain Region: Rocky Mountain Association of Geologists, p. 111-127.
- Mallory, W. W., 1972b, Pennsylvanian arkose and the Ancestral Rocky Mountains, *in* Mallory, W. W., ed., Geologic Atlas of the Rocky Mountain Region: Rocky Mountain Association of Geologists, p. 131-132.
- Mavor, M.J., Close, J.C., and McBane, R.A., 1990, Formation Evaluation of Exploration Coalbed Methane Wells: Society of Petroleum Engineers, CIM/SPE 90-101, 19 p.

- Miggins, D. P., 2002, Chronologic, geochemical, and isotopic framework of igneous rocks within the Raton Basin and adjacent Rio Grande rift, south-central Colorado and northern New Mexico: Unpublished M. S. thesis, University of Colorado, Boulder, 438 p.
- New Mexico Bureau of Geology and Mineral Resources, 2003, Geologic map of New Mexico: New Mexico Bureau of Geology and Mineral Resources, scale 1:500,000.
- Northrup, S. A., Sullwold, H. H., Jr., MacAlpin, A. J., and Rogers, C. P., Jr., 1946, Geologic maps of a part of the Las Vegas basin and of the foothills of the Sangre de Cristo Mountains, San Miguel and Mora Counties, New Mexico: U. S. Geological Survey, Oil and Gas Inventory Preliminary Map 54.
- Osterhoudt, R., 1990, Vermejo Ranch, radius of curvature on the Vermejo V1T structure: Pennzoil Exploration and Producing Co., unpublished map, scale 1:24,000.
- Pettit, R. F., Jr., 1966, Maxwell Land Grant, in Northrop, S. A., Read, C. B., eds., Guidebook of Taos-Raton-Spanish Peaks Country, New Mexico and Colorado: New Mexico Geological Society, Seventeenth Field Conference Guidebook, p. 66-68.
- Pillmore, C. L., 1969, Geology and coal deposits of the Raton coal field, Colfax County, New Mexico: *Mountain Geologist*, v. 6, no. 3, p. 125-142.
- Pillmore, C. L., and Flores, R. M., 1987, Stratigraphy and depositional environments of the Cretaceous-Tertiary boundary clay and associated rocks, Raton basin, New Mexico and Colorado, *in* Fassett, J. E., and Rigby, J. K., Jr., eds., *The Cretaceous-Tertiary Boundary in San Juan and Raton Basins, Northern New Mexico and Southern Colorado*: Geological Society of America, Special Paper 209, p. 111-130.
- Potential Gas Committee, 2000, Potential Supply of Natural Gas in the United States: unpublished report dated December 31, 2000.
- Shaw, G. L., 1956, Tectonic history of the Raton Basin with special reference to the Late Paleozoic: *American Association of Petroleum Geologist, 1956 Geological Record (Rocky Mountain Section Conference Proceedings)*, p. 69-80.
- Smith, R. F., 1988, Structural and metamorphic evolution of Proterozoic rocks in the northern Taos Range, Taos County, New Mexico [M. S. thesis]: Albuquerque, University of New Mexico, 84 p.

- Stevens, S. H., Lombardi, T. E., Kelso, B. S., and Coates, J. 1992, A Geologic Assessment of Natural Gas from Coal Seams in the Raton and Vermejo Formations, Raton Basin: Gas Research Institute, Topical Report GRI-92/0345, 84 p.
- Sunde, A., Chen, H-Y., and Teufel, L.W., 2000, Producing characteristics and drainage volume of Dakota reservoirs, San Juan Basin, New Mexico: Society of Petroleum Engineers, SPE 60288, 10 p.
- Tweto, O., 1979, Geologic map of Colorado: U. S. Geological Survey in cooperation with the Colorado Geological Survey, scale 1:500,000.
- Tyler, R., Kaiser, W. R., Scott, A. R., Hamilton, D. S. and Ambrose, W. A., 1995, Geologic and hydrologic assessment of natural gas from coal-Greater Green River, Piceance, Powder River, and Raton Basins, western United States: The University of Texas at Austin, Bureau of Economic Geology, Report of Investigations 228, 217 p.
- Wanek, A. A., 1963, Geology and Fuel Resources of the southwestern part of the Raton coal field, Colfax County, New Mexico: U. S. Geological Survey, Coal Investigation Map 45, scale 1:48000.
- Whitehead, N. H., 1991, Coal-bed methane in New Mexico: New Mexico Geology, v. 13, no. 4, p. 82-88.
- Williams, M. L., 1990, Proterozoic geology of northern New Mexico: recent advances and ongoing questions, *in* Bauer, P. W., Lucas, S. G., Mawer, C. K., and McIntosh, W. C., eds., Tectonic Development of the Southern Sangre de Cristo Mountains, New Mexico: New Mexico Geological Society 41st Annual Field Conference Guidebook, p. 151-159.
- Woodward, L. A., 1984, Potential for significant oil and gas fracture reservoirs in Cretaceous rocks of Raton Basin, New Mexico: American Association of Petroleum Geologists Bulletin, v. 68, no. 5, p. 628-636.
- Woodward, L. A., 1987, Oil and gas potential of the Raton Basin, New Mexico, *in* Lucas, S. G., and Hunt, A. P., eds., Northeastern New Mexico: New Mexico Geological Society, Guidebook 38, p. 331-338.