

References

From the Biological Assessment

Burdett, C.L., G. J. Niemi, and L. D. Mech. 2003. Past and present status of the Canada lynx in Minnesota. Second annual forest and wildlife research review, Univ. of Minn. – Duluth, January 16, 2003.

Chippewa National Forest Land and Resource Management Plan, 1986. United States Department of Agriculture, Forest Service, Eastern Region. U.S. Forest Service.

Chippewa National Forest. 2002. Fiscal Years 2000 and 2001 Monitoring and Evaluation Report. Chippewa National Forest. Cass Lake, MN.

Fraser, J. D., L. D. Frenzel and J. E. Mathisen. 1985. The impact of human activities on breeding bald eagles in northcentral Minnesota. *J. Wildl. Manage.* Vol 49(3):585-592

Fuller, T.K. and D. M. Heisey. 1986. Density-related changes in winter distribution of snowshoe hares in north central Minnesota. *J. Wildl. Manage.* 50:261-264. As cited in Ruediger, B., J. Claar, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Naney, G. Patton, T. Rinaldi, J. Trick, A. Vandehey, K. F. Wahl, N. Warren, D. Wenger, and A. Williamson. 2000. Canada lynx conservation assessment and strategy. USDA Forest Service, USDI Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service. Forest Service Publication #R1-00-53, Missoula, MT. 142 pp.

Fuller, T. K., W. E. Berg, G. L. Radde, M. S. Lenarz, and G. B. Joselyn. 1992. A history and current estimate of wolf distribution and numbers in Minnesota. *Wild. Soc. Bull.* 20:42-45.

Grier, J.W., J.B. Elder, F.J. Gramlich, N.F. Green, J.V. Kussman, J.E. Mathisen and J.P. Mattsson. 1983. Northern states bald eagle recovery plan. U. S. Fish and Wildlife Service

Koehler, G.M. 1990. Population and habitat characteristics of lynx and snowshoe hares in north central Washington. *Canadian Journal of Zoology* 68:845-851.

Layne, J. N. 1954. The biology of the red squirrel, *Tamiasciurus hudsonicus loquax* (Bangs) in central New York. *Ecol. Monogr.* 24:227-267. As cited by Ruediger, B., J. Claar, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Naney, G. Patton, T. Rinaldi, J. Trick, A. Vandehey, K. F. Wahl, N. Warren, D. Wenger, and A. Williamson. 2000. Canada lynx conservation assessment and strategy. USDA Forest Service, USDI Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service. Forest Service Publication #R1-00-53, Missoula, MT. 142 pp.

Litvaitis, J.S., J.A. Sherbourne, and J. A. Bissonette. 1985. Influence of understory characteristics on snowshoe hare habitat use and density. *J. Wildl. Manage.* 49:866-873. Sievert, P.R. and L.B. Keith. 1985. Survival of snowshoe hares at a geographic range boundary. *J. Wildl. Manage.* 49:854-866.

- McCord, C.M. and J.E. Cardoza. 1982. Bobcat and lynx. Pages 728-766. In J.A. Chapman and G.A. Feldhamer (eds.). Wild Mammals of North America. Johns Hopkins University Press, Baltimore, MD.
- McKelvey, K.S., K. B. Aubry and Y. K. Ortega. 1999. History and distribution of lynx in the contiguous United States. USDA Forest Service Gen. Tech. Report RMRS-GTR-30.
- Mathisen, J.E.. 1968. Effects of human disturbance on nesting of bald eagles. Journal of Wildlife Management Vol. 32, No. 1 pp. 1-6
- Mathisen, J.E. 1983. Nest site selection by bald eagles on the Chippewa National Forest. Trans. 1st International Symposium on Bald Eagles and Ospreys. Montreal, Canada. pp. 95-100.
- Minnesota Department of Natural Resources (MDNR). 2001. Minnesota wolf management plan. 36 pp.
- Minnesota Department of Natural Resources (MDNR). 2003. Minnesota lynx sightings summary (as of 1/13/03).
http://www.dnr.state.mn.us/ecological_services/nhnrp/research/lynx_sightings.html
- Minnesota Department of Natural Resources (MDNR). 2003. Bald eagle population information. http://www.dnr.state.mn.us/fish_and_wildlife/eagle/history.html
- Klenner, W. and C.J. Krebs. 1991. Red squirrel population dynamics. I. The effect of supplemental food on demography. J. Animal Ecology 60:961-978.
- NatureServe Explorer. 2002. <http://www.natureserve.org/explorer/servlet/NatureServe> web page.
- Obbard, M.E. 1987. Red squirrel. Pages 264-281 in M. Novak, J.A. Baker, M.E. Obbard and B. Malloch, eds. Wild furbearer management and conservation in North America. Ontario Trappers Assoc., North Bay.
- Personal communication, Ed Lindquist, Forest Wildlife Biologist, Superior National Forest.
- Personal communication, Phil Delphy, U.S. Fish and Wildlife Service, Twin Cities Field Office.
- Quinn, N.W.S. and G. Parker. 1987. Lynx. Pages 683-694 In Novak, N. and M. Obbard (eds.). Wild furbearer management and conservation in North America. Ministry of Natural Resources, Toronto, Ontario.
- Ruediger, B., J. Claar, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Naney, G. Patton, T. Rinaldi, J. Trick, A. Vandehey, K. F. Wahl, N. Warren, D. Wenger, and A.

Williamson. 2000. Canada lynx conservation assessment and strategy. USDA Forest Service, USDI Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service. Forest Service Publication #R1-00-53, Missoula, MT. 142 pp.

Ruggiero, L.F., K. B. Aubry, S. W. Buskirk, G. M. Koehler, C. J. Krebs, K. S. McKelvey, and J.R. Squires. 2000. Ecology and conservation of lynx in the United States. General Technical Report RMRS-GTR-30WWW, October 1999. Univ. Press of Colorado. Boulder, CO. 480 pp.

Staples, W.R. 1995. Lynx and coyote diet and habitat relationships during a low hare population on the Kenai Peninsula, Alaska. M.S. Thesis, Univ. of Alaska, Fairbanks. As cited by Ruediger, B., J. Claar, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Naney, G. Patton, T. Rinaldi, J. Trick, A. Vandehey, K. F. Wahl, N. Warren, D. Wenger, and A. Williamson. 2000. Canada lynx conservation assessment and strategy. USDA Forest Service, USDI Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service. Forest Service Publication #R1-00-53, Missoula, MT. 142 pp.

U.S. Fish and Wildlife Service. 1998. Endangered and threatened wildlife and plants; proposal to list the contiguous United States distinct population segment of the Canada lynx; proposed rule. Federal Register 63:36994-37013. As cited by Ruediger, B., J. Claar, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Naney, G. Patton, T. Rinaldi, J. Trick, A. Vandehey, K. F. Wahl, N. Warren, D. Wenger, and A. Williamson. 2000. Canada lynx conservation assessment and strategy. USDA Forest Service, USDI Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service. Forest Service Publication #R1-00-53, Missoula, MT. 142 pp.

U.S. Fish and Wildlife Service. 1992. Recovery plan for the eastern timber wolf. Twin Cities, MN. 73 pp.

U.S. Forest Service. 2002. White-tailed deer. Species data collection form. Forest Plan Revision, Chippewa and Superior National Forests.

U.S. Forest Service. 2003. Draft environmental impact statement: forest plan revision. Volume 1. Chippewa National Forest/Superior National Forest.

U.S. Forest Service. 2003a. Bald eagles. Forest FAQ's web page.
www.fs.fed.us/r9/chippewa/info/baldeagle.htm

Vahle, J.R. and D.R. Patton. 1983. Red squirrel cover requirements in Arizona mixed conifer forests. J. For. 81:14-15, 22.

Wood, P.B., M. W. Collopy, and C. M. Sekerak . 1998. Post-fledging nest dependence period for bald eagles in Florida. Journal of Wildlife Management. 62(1)

From the Biological Evaluation

Association for Biodiversity Information. 2001. NatureServe: An online encyclopedia of life [web application]. 2000. Version 1.0. Arlington (VA): Association for Biodiversity Information. Available: <http://www.natureserve.org/>.

Bailey, R.M. 1959. Distribution of the American cyprinid fish Notropis anogenus. *Copeia* 2: 119-123.

Becker, G.C. 1983. Fishes of Wisconsin. The University of Wisconsin Press. Madison, WI.

Boag, D.A., and M.A. Schroeder. 1992. Spruce grouse. The birds of North America, No. 5. 27 pp.

Boal, C.W., D.E. Andersen, and P.L. Kennedy. 2001. Home range and habitat use of northern goshawks (*Accipiter gentiles*) in Minnesota. Final report, May 2001. Minnesota Coop. Fish and Wildlife Research Unit, St. Paul, Minnesota.

Cable, Kelly. 2000. Black-backed woodpecker – species evaluation for RFSS reanalysis. Chippewa National Forest.

_____. 2000a. Bay-breasted warbler – species evaluation for RFSS reanalysis. Chippewa National Forest.

_____. 2000b. Spruce grouse – species evaluation for RFSS reanalysis. Chippewa National Forest.

Cable, Jeremy. 2000. Olive-sided flycatcher – species evaluation for RFSS reanalysis. Chippewa National Forest.

_____. 2000a. Great gray owl – species evaluation for RFSS reanalysis. Chippewa National Forest.

Cass County Biological Survey. 1998. Cass County Biological Survey 1992-1995. Biological Report No. 59. Minnesota Department of Natural Resources.

Casson, John. 2002. Black-throated blue warbler – species evaluation for RFSS reanalysis. Chippewa National Forest.

Chippewa National Forest. 2002. Unpublished mussel survey results.

- Cummings, Kevin S. and Christine A. Mayer. 1992. Field guide to freshwater mussels of the Midwest. Illinois Natural History Survey Manual 5. 194 pp.
- Dalton, K.W. 1990. Status of the least darter, *Etheostoma microperca*, in Canada. Canadian Field-Naturalist 104(1): 53-58.
- Dick, T., and D. Plumpton. 1999. Review of information on the status of the northern goshawk (*Accipiter gentilis atricapillus*) in the Western Great Lakes region and Ontario. USFWS Unpublished report.
- Doolittle, Thomas C.J. 1992. A qualitative survey of freshwater mussels in the Leech Lake River, Minnesota. Final Report to the Chippewa National Forest. 17 pp.
- Eddy, S. and J.C. Underhill. 1974. *Northern Fishes*. University of Minnesota Press, Minneapolis, MN.
- Hanowski, JoAnn. 2003. Personal communication concerning black-throated blue warblers, habitat, and relationships to timber harvest. Ornithologist, Natural Resource Research Institute, University of Minnesota, Duluth, June 11, 2003.
- Hemstad, N. and R. M. Newman. 2001. Effects of forest harvest on stream fish and habitat. Minnesota Forest Resources Council, Report No. RR-0601. St. Paul, MN.
- Holmes, Richard T. 1994. Black-throated blue warbler. The Birds of North America no. 87. 22 pp.
- Hove, M. C., M. R. McGill, B. J. Bloemke, C. L. Nelson, T. A. Diedrich, R. A. Engelking, M. E. Peteler, E. M. Peterson, W. S. Taylor, and A. R. Kapuscinski. 2004. Early life history of creek heelsplitter (*Lasmigona compressa*). Final Report to the Chippewa National Forest. 18 pp.
- Johnson, J.D. and J.T. Hatch. 1991. Life history of the least darter *Etheostoma microperca* at the northwestern limits of its range. The American Midland Naturalist. 125: 87-103.
- Kennedy, P.L., J.M. Ward, A. Rinker, and J.A. Gessaman. 1994. Post-fledging areas in northern goshawk home ranges. Studies in avian biology 16:75-82.
- Lind, Jim, Nick Danz, Malcolm T. Jones, JoAnn M. Hanowski, and Gerald J. Niemi. 2003. 2002 Annual Update Report: Breeding bird monitoring in Great Lakes National Forests: 1991-2002. Natural Resources Research Institute, Technical Report: NRRI/TR-2002/24. Duluth, Minnesota.
(http://www.nrri.umn.edu/mnbirds/spp_trends.htm)

- Minnesota Department of Natural Resources. 1995. Species Status Sheet, Proposed Amendment of Minnesota Rules, Chapter 6134: Endangered and Threatened Species Statement of Need and Reasonableness: December 4, 1995.
- Minnesota Forest Resources Council. 1999. Sustaining Minnesota Forest Resources: Voluntary Site-Level Forest Management Guidelines for Landowners, Loggers and Resource managers. Minnesota Forest Resources Council, St. Paul, MN.
- Monson, Margot P. 1994. The caddisflies (INSECTA: TRICHOPTERA) of the Lake Itasca Region, Minnesota, and a preliminary assessment of the conservation status of Minnesota Trichoptera. Master's Thesis, University of Minnesota, Minneapolis, MN.
- Murphy, E.C., and W. A. Lenhausen. 1998. Density and foraging ecology of woodpeckers following a stand-replacement fire. *J. Wildl. Mgt.* 62(4):1359-1372.
- Natural Resources Research Institute (NRRI) 2000. Bay-breasted warbler species account. <http://oden.nrri.umn.edu/mnbirds/newaccounts/BBWAa2.htm>
- _____. 2000a. Spruce grouse species account. <http://oden.nrri.umn.edu/mnbirds/newaccounts/SPGRa2.htm>
- Natural Resources Research Institute (NRRI) 2001. Black-backed woodpecker species account. <http://www.nrri.umn.edu/mnbirds/newaccounts/BBWOa2.htm>
- _____. 2001a. Olive-sided flycatcher species account. <http://www.nrri.umn.edu/mnbirds/newaccounts/OSFLa2.htm>
- _____. 2001b. Great gray owl species account. <http://www.nrri.umn.edu/mnbirds/newaccounts/GGOWa2.htm>
- _____. 2002c. Black-throated blue warbler species account. <http://www.nrri.umn.edu/mnbirds/newaccounts/CSWAa2.htm> web page accessed 6/2003.
- Natural Resources Research Institute. 2002. 2002 annual update report: breeding bird monitoring in Great Lakes National Forests: 1991 – 2002. Tech report NRRI/TR-2002/24.
- NatureServe. 2003. NatureServe: An online encyclopedia of life [web application]. Version 1.7 . Arlington (VA). Available: <http://www.natureserve.org/>.
- Parker, B., P. McKee, and R. R. Campbell. 1987. Status of the pugnose shiner, Notropis anogenus, in Canada. *The Canadian Field-Naturalist.* 101: 203-207.

Phillips, G.L., W.D. Schmid, and J.C. Underhill. 1982. Fishes of the Minnesota Region. University of Minnesota Press, Minneapolis, MN. 248 pp.

Reynolds, R.T., R.T. Graham, M.H. Reiser, R.L. Bassett, P.L. Kennedy, D.A. Boyce, G. Goodwin, R. Smith, and E.L. Fisher. 1992. Management recommendations for the northern goshawk in southwestern United States. USDA Forest Service Gen. Tech. Report RM-217.

Robbins, C.S.D., D.K. Dawson and B.A. Dowell. 1989. Habitat area requirements of breeding forest birds of the Middle Atlantic States. Wildl. Monogr. 103. 34 pp.

Sietman, Bernard E. 2003. Field guide to the freshwater mussels of Minnesota. Minnesota Department of Natural Resources. 144 pp.

Smithers, B.L., C.W. Boal, and D. E. Andersen. 2003. Northern Goshawk Food Habits in Minnesota: an Analysis Using Time-lapse Video Recording Systems. Final report June 13, 2003, submitted to Minnesota Northern Goshawk Research Cooperators.

TNC, The Nature Conservancy. Date unknown. Species status sheet. Natural heritage central databases. Biodiversity conservation data source (BioSource) website, queried March of 2000.

_____. 1998. Species management abstract for olive-sided flycatcher. Arlington, VA.

_____. 1999. Species management abstract for black-backed woodpecker. Arlington, VA.

_____. 2000. Species management abstract for spruce grouse. Arlington, VA.

_____. 2002. Species management abstract for black-throated blue warbler. Arlington, VA.

U.S. Forest Service (USFS). 2001. Conservation assessment for black-backed woodpecker (*Picoides arcticus*). Eastern Region, USDA Forest Service. 21 pp.

U.S. Forest Service (USFS). 2001b. Sensitive plant habitats. Chippewa National Forest. 38 pp.

Wagner, W. H. and F. S. Wagner. 1993. Ophioglossaceae. In Morin, N. R. Flora of North America North of Mexico, Volume 2, Pteridophytes and Gymnosperms. Oxford University Press. New York.

Watters, G. Thomas. 1995. A guide to the freshwater mussels of Ohio. The Ohio Department of Natural Resources. 122 pp.

Williams, James D., M. L. Warren Jr., K. S. Cummings, J. L. Harris, and R. J. Neves. 1993. Conservation status of freshwater mussels of the United States and Canada. Fisheries, Vol. 18, No. 9, pages 6 – 22.

Yunick, Robert P. 1985. A review of recent irruptions of the black-backed woodpecker and three-toed woodpecker in eastern North America. *J. Field Ornithol.* 56(2):138-152.

From the Environmental Assessment

Barnes, Burton V., Donald R. Zak, Shirley R. Denton, and Stephan H. Spurr. 1998.

Forest Ecology. Fourth Edition. John Wiley & Sons, New York, NY. Pp. 443-447.

Brokaw, Nicholas V. L. and Richard A. Lent in Hunter, Malcolm L., Jr., editor. 1999.

Maintaining Biodiversity in Forest Ecosystems. Cambridge University Press, Cambridge, UK. Pp 373-399.

Franklin, J. F. 2001. Keynote Comments by Jerry F. Franklin on Managing Young Stands to Meet LSR and Riparian Objectives. Workshop held at Portland, OR on August 29, 2001.

Palik, Brian. Project Leader, Lakes States Silviculture, USDA Forest Service, North Central Research Station, Grand Rapids, MN. 2002 & 2004. Personal communication on within-stand complexity.

Palik, Brian. 2004. Personal communication on the *Draft* Revised Management Guide for Red Pine and on the occurrence of *Ips* bark beetles in red pine stands in Minnesota..

Tjader, Harvey. 2004. Personal communication concerning plantation thinning practices on other (state, county, etc) managed forests in this part of northern MN. Forester, MN Department of Natural Resources, Area Office; Bemidji, MN; August 4, 2004.

USDA Forest Service 2004. Final Environmental Impact Statement, Land and Resource Management Plans, Chippewa and Superior National Forests. United States Department of Agriculture, Forest Service, Eastern Region.

USDA Forest Service 2004a. Chippewa National Forest Land and Resource Management Plan. United States Department of Agriculture, Forest Service, Eastern Region.

Soils References

Jaakko Poyry Consulting, Inc. 1992. Generic Environmental Impact Statement on Timber Harvesting and Forest Management in Minnesota.

McNabb, D.H., Startsev, A.D., Nguyen, H, 2001. Soil Wetness and Traffic Level Effects on Bulk Density and Air-Filled Porosity of Compacted Boreal Forest Soils. *Soil Science Soc. Am. Journal*, 65:1238-1247 (2001).

Minnesota Department of Natural Resources, 2000. Monitoring the Implementation of the Timber Harvesting and Forest Management Guidelines on Public and Private Forest Land in Minnesota: Report 2000. MN DNR Document MP – 0201.

Minnesota Department of Natural Resources, 2001. Monitoring the Implementation of the Timber Harvesting and Forest Management Guidelines on Public and Private Forest Land in Minnesota: Report 2001. MN DNR Document MP – 0902.

Minnesota Forest Resources Council. 1999. Sustaining Minnesota Forest Resources: Voluntary Site – Level Forest Management Guidelines for Landowners, Loggers and Resource Managers. Minnesota Forest Resources Council, St. Paul, Minnesota.

USDA Forest Service, 2002. Region 9, Draft - Soil Quality Monitoring, Forest Service Handbook, FSH 2509.18

USDA Forest Service, 1985. Ecological Classification System Handbook, Chippewa National Forest.

Water References

Minnesota Forest Resources Council. 1999. Sustaining Minnesota Forest Resources: Voluntary Site – Level Forest Management Guidelines for Landowners, Loggers and Resource Managers.
Minnesota Forest Resources Council, St. Paul, Minnesota.

USDA Forest Service, 2000. Chippewa National Forest Water Quality Monitoring for Pine Flats Prescribed Burning. September, 2000.

USDA Forest Service, 2004. Chippewa National Forest Revised Forest Plan.

USDA Forest Service, 2004. Forest Service Manual, Watershed Protection and Management.

Vegetation

Alban, David H. 197. Influence on soil properties of prescribed burning under mature red pine. USDA Forest Service Res. Pap. NC-139, 8 p.

Almindinger, J., D. Shadis. 1998. Historic Fire Regimes for Province 212 in Northern Minnesota. USDA.

Benzie, John W. 1977. Manager's handbook for red pine in the north central States. USDA Forest Service, Gen. Tech. Rep NC-33. 22p.

- Buckman, Robert E. 1964. *Effects of Prescribed Burning on Hazel in Minnesota*. Ecology, Vol. 45, No. 3, pp 626-629.
- Chippewa National Forest. 2000. "Chippewa National Forest's Landtypes." U.S. Forest Service. Unpublished report.
- Gilmore Daniel W., Palik Brian J., Benzie John W. 2004. A Revised Management Guide of Red Pine. Draft. USDA Forest Service and Univ. of Minn. 68 p.
- Gilmore Daniel W. and Yount, Louise S. 2002. Proceedings of the Red Pine SAF Region V Technical Conference. Univ. of Minnesota. 137 p.
- Helm, John A. *The Dictionary of Forestry*. The Society of American Foresters. 1998.
- Katovich, S.A., J.G. O'Brien and M.E. Mielke, Restoration and Management of Eastern White Pine Within High Blister Rust Hazard Zones in the Lake States. USDA Forest Service, Northeastern Area, Forest Health Protection, St. Paul, MN
- Katovich, Steve. 2004. Personal communication.
- Lundgren, Allen L. 1981. The effects of initial number of trees per acre and thinning densities on timber yields from red pine plantations in the Lake States. USDA, Forest Service, Res Paper NC-193, 25 p.
- Minnesota Forest Resources Council. 1995. *Protecting Water Quality and Wetlands in Forest Management: Best Management Practices in Minnesota*. St. Paul, MN: Minnesota Forest Resources Council.
- Palik, Brian and John Zasada. 2003. An Ecological Context for Regenerating Multi-cohort, Mixed-species Red Pine Forest. US DA, Forest Service, North Central Forest Experiment Station. 8 p.
- Roerick, Gary. 2004. Personal communication.
- USDA Forest Service. *How to Manage Eastern White Pine to Minimize Damage for Blister Rust and White Pine Weevil*. Northeast Area State and Private Forestry. NA-FR-01-93.
- USDA Forest Service. 1985. *Ecological Classification System Handbook*. USDA, Forest Service, Chippewa National Forest.
- USDA Forest Service. 1986. *Land and Resource Management Plan, Chippewa National Forest*. USDA, Forest Service, Eastern Region.
- USDA Forest Service. 2000. "Fiscal Years 1998 and 1999 Monitoring and Evaluation Report, Chippewa National Forest." 45pp.

USDA Forest Service. 2003. "Fiscal Years 2000-2003 Monitoring and Evaluation Report, Chippewa National Forest."

USDA Forest Service. 1990. Silvics of North America. Volume 1. Conifers. Agriculture Handbook 654.